

MICHAUX			8.7	29	18	21.9	16	12
			9.0	30	18	22.1	17	12
			9.3	31	23	22.3	18	12
			11.6	37	14	22.5	19	12
			12.3	40	18	22.7	20	12
			12.6	41	18	22.9	21	12
			12.9	42	18	23.1	22	12
0.0	00	18	13.2	43	18	23.3	23	12
Reset			13.5	44	18	23.5	24	12
from 0.10			Reset from 13.50 to 13.53			23.7	25	12
to 1.63						23.9	26	12
						24.1	27	12
3.0	10	18	13.8	45	18	24.3	28	12
3.3	11	18	14.1	46	18	24.5	29	12
3.6	12	18	14.4	47	18	24.7	30	12
3.9	13	18	14.7	48	24	24.9	31	12
4.2	14	18	15.1	49	24	25.1	32	12
4.5	15	18	15.5	50	24	25.3	33	12
4.8	16	18	Known Ctrl			25.5	34	12
5.1	17	18	18.7	58	24	25.7	35	12
5.4	18	18	Reset from 18.80 to 21.90			25.9	36	12
5.7	19	18				26.1	37	12
6.0	20	18				26.3	38	12
6.3	21	18	Free Time at 21.00 10 min			Reset		
Reset								
from 6.40								
to 8.56								

from 26.35			2.4	18	18	11.4	43	18
to 26.70			2.7	19	18	11.7	44	18
26.7	40	18	3.0	20	18	12.0	45	18
Reset			3.3	21	18	12.3	46	18
from 26.98			3.6	22	18	12.6	47	18
to 27.18			3.9	23	18	12.9	48	18
27.3	42	18	4.2	24	18	Free Time at 13.03 1 min		
27.6	43	18	4.5	25	18			
27.9	44	18	4.8	26	36			
28.2	45	18	5.4	27	36	13.2	50	18
28.5	46	18	6.0	28	36	13.2	50	18
28.8	47	18	6.6	29	36	13.5	51	18
29.1	48	18	7.2	30	36	13.8	52	18
29.4	49	18	Reset from 7.51 to 7.60			14.1	53	18
Free Time at 29.40 21 min						14.4	54	18
						14.7	55	18
29.4	10	18	7.8	31	36	15.0	56	18
GAS AVAILABLE			Reset from 7.85 to 10.95			15.3	57	18
Reset to 0						15.6	58	18
at 29.40						15.9	59	18
0.0	10	18	8.4	32	18	16.2	00	18
Reset			Free Time at 11.00 1 min			Reset from 16.21 to 19.47		
from 0.10								
to 1.63			11.1	42	18	19.2 10 24		
1.8	16	18	11.1	42	18			
2.1	17	18						

19.6	11	24	28.0	33	24	Free Time at 36.82 1 min		
20.0	12	24	28.4	34	24			
20.4	13	24	28.8	35	24			
20.8	14	24	Reset from 28.82 to 32.80			37.2	04	24
21.2	15	24				37.2	04	24
21.6	16	24				37.6	05	24
22.0	17	24	32.8	45	24	38.0	06	24
22.4	18	24	Free Time at 33.10 3 min			38.4	07	24
22.8	19	24				38.8	08	24
23.2	20	24				39.2	09	24
23.6	21	24	33.2	49	24	39.6	10	24
24.0	22	24	33.2	49	24	40.0	11	24
24.4	23	24	33.6	50	24	40.4	12	24
24.8	24	24	34.0	51	24	40.8	13	24
25.2	25	24	34.4	52	24	41.2	14	24
25.6	26	24	34.8	53	24	Reset from 41.36 to 45.20		
26.0	27	24	35.2	54	12			
26.4	28	24	35.4	55	12			
26.8	29	24	35.6	56	12	45.2	24	24
Free Time at 26.82 1 min			35.8	57	12	45.6	25	24
			36.0	58	12	46.0	26	24
			36.2	59	12	46.4	27	24
27.2	31	24	36.4	00	12	46.8	28	24
27.2	31	24	36.6	01	12	47.2	29	24
27.6	32	24	36.8	02	24	47.6	30	24

48.0	31	24
------	----	----

48.4	32	24
------	----	----

48.8	33	24
------	----	----

**Free Time
at 48.82
4 min**

49.2	38	24
------	----	----

49.2	38	24
------	----	----

**Reset
from 49.27
to 50.90**

51.2	43	24
------	----	----

51.6	44	24
------	----	----

52.0	45	24
------	----	----

OBV CHECK